

Using of Artificial Intelligence Applications For Development of Learning and educating Process

Dr.Abdul satar Jabbar Nassir-Al-Qusi

College of Managerial Technical

Abstract:

The revolution in the computer technologies and usage of computer in AI & Intelligence Tutoring Systems in different researches to produce numerous studies in the field of the computer assist learning and training in the field of education & training there are many concepts about AI&ITS .

It is method helping the computer in representing the human activities of needing special skills and experiences & intelligent decision making, or it is a process of computer programming making the computer capable for logical education and operations execution which need high level intelligence.

The artificial intelligence & ITS could be applied in the following areas:

1. Game theory
2. Improvement of different theories
3. General problem-Solving
4. Expert problem-solving Which contains :
 - a- Mathematical symbols
 - b- Medical diagnosis
 - c- Chemical analysis
 - d- Engineering design

This research focuses on how AI & ITS and It's applications as a tool supporting for learning and education Process.

1.Introduction

Computers have been used in education for over 40 years. Computer-based training (CBT) and computer aided instruction (CAI) were the first such systems deployed as an attempt to teach using computers. In these kinds of systems, the instruction was not individualized to the learner's needs. Instead, the decisions about how to move a student through the material were script-like, such as "if question 30 is answered correctly, proceed to question 54; otherwise go to question 35." The learner's abilities were not taken into account.

While both CBT and CAI may be somewhat effective in helping learners, they do not provide the same kind of individualized attention that a student would receive from a human tutor [1]. For a computer based educational system to provide such attention, it must reason about the domain and the learner. This has prompted research in the field of intelligent tutoring systems (ITSs). ITSs offer considerable flexibility in presentation of material and a greater ability to respond to idiosyncratic student needs. These systems achieve their "intelligence" by representing pedagogical decisions about how to teach as well as information about the learner. This allows for greater versatility by altering the system's interactions with the student.

Intelligent tutoring systems have been shown to be highly effective at increasing students' performance and motivation. For example, students using Smithtown, an ITS for economics, performed equally well as students taking a traditional economics course, but required half as much time covering the material [2].

In this research, we start by providing an overview of the intelligence tutoring system as a part of AI & main components of intelligent tutoring systems. We then provide a brief summary of different types of ITSs. Next, we present a detailed discussion of two components, the student model and the pedagogical module. We close by discussing some of the open questions in ITS as well as future directions of the field.

2. Definition with Artificial intelligence

Artificial intelligence (AI) is the intelligence of machines and the branch of computer science which aims to create it. Major AI textbooks define the field as "the study and design of intelligent agents," where an intelligent agent is a system that perceives its environment and takes actions which maximize its chances of success. John McCarthy, who coined the term in 1956, defines it as "the science and engineering of making intelligent machines."

The field was founded on the claim that a central property of human beings, intelligence—the sapience of homo sapiens—can be so precisely described that it can be simulated by a machine. This raises philosophical issues about the nature of the mind and limits of scientific hubris, issues which have been addressed by myth, fiction and philosophy since antiquity. Artificial intelligence has been the subject of breathtaking optimism, has suffered stunning setbacks and, today, has become an essential part of the technology industry, providing the heavy lifting for the most difficult problems in computer science.

AI research is highly technical and specialized, so much so that some critics decry the "fragmentation" of the field. Subfields of AI are organized around particular problems, the application of particular tools and around long standing theoretical differences of opinion. The central problems of AI include such traits as reasoning, knowledge, planning, learning, communication, perception and the ability to move and manipulate objects. Although general intelligence (or "strong AI") is still a long term goal of (some) AI research, it has become clear that there is a great deal of useful work that can be done before this goal is achieved[3]

Then Artificial Intelligence (AI) is study of the nature of intelligence by building computer systems, and the application of these insights in solving real-world problems.

AI can be seen both as a science and as engineering, depending on the aim of the work.

AI technology is often taught as part of computing, but it has links with many other fields such as psychology, philosophy and linguistics.

3. Artificial Intelligence Technologies

AI has many sub-fields and advanced technologies, for example.

- Neural Networks simulate the working of neurons in the brain
- Natural Language Processing aims to produce computer systems that can understand, translate and communicate in human languages
- Theorem Provers allow computers to solve mathematical problems and discover new mathematical concepts
- Genetic Algorithms solve problems by a loose analogy with biological evolution by natural selection
- Knowledge Based Systems encode human expert knowledge in such a way a computer can reason with it
- Case-based Reasoning simulates how humans reason from past experience
- Robotics focuses on the construction of intelligent robots that adapt to their environment
- Vision focuses on tasks such as face recognition.

This is just a sample: new technologies are being developed constant.

4. Artificial Intelligence Applications

If you work in AI you may be developing real-world systems such as the following:

- Fraud detection systems use neural networks to detect stolen credit cards
- Financiers use neural networks to predict stock market trends and genetic algorithms to optimize their portfolios.
- Genetic algorithms are used in scheduling to find the most efficient way to roster staff or allocate resources.
- Medical Knowledge Based Systems can advise on medical treatment.

□ Call Centers and Help Desks often use case-based reasoning to provide instructions on how to deal with common problems.

□ Computer Games are using AI increasingly to improve the game's challenge and playability

□ Forensic analysis of CCTV images using AI vision technology is being developed to recognize criminals.

One interesting point to note is that AI is more often than not transparent to its users – most people are not aware that they are using AI in everyday life.

5. Concept of Intelligence Tutoring System

Intelligent tutoring systems (ITS) are a new generation of computer systems for support and improvement of learning and teaching. The usual definition of an ITS characterizes it as a system based on some kind of knowledge which includes domain, teachers' and students' knowledge. In the research, we elaborate on the representation of knowledge in an intelligent authoring shell – which is an ITS generator system – Tutor-Expert System. Within TEx-Sys knowledge is represented through semantic networks with frames and production rules. Nodes are used for representation of domain knowledge objects, while links show relations among them. Besides, TEx-Sys supports properties and frames, as well as property inheritance and frames containing a conclusion-making mechanism.

In this research, we try to explain of practice ITS application in learning and teaching process. Because, Intelligent tutoring systems have been shown to be highly effective at increasing students' performance and motivation.

For example, students using Software systems, an ITS for computers, performed equally well as students taking a theoretical & practice courses in computers, but required half as much time covering the material.

Then, Intelligence is harder to define than knowledge. When researchers in the field of artificial intelligence talk about intelligence in technical systems, they usually use it to suggest that their software is more flexible, more readable, and easier to use than some other software.

The structure of intelligent systems generally consists of the following components: user interface, inference engine and knowledge base with some subject matter see Figure (1), [4].




Figure [1] : Structure of Intelligence Tutoring Systems

In this research we focus on knowledge representation in intelligent tutoring shells, which are generators of particular intelligent tutoring systems (ITSs). The usual definition of an ITS characterizes it as a system based on some kind of knowledge. This "knowledge" includes:

1. Domain knowledge containing objects, relations among them, explanations, examples and exercises,
2. Teachers' knowledge as a strategy for the process of learning and teaching and
3. Students' knowledge as a model which is dynamically generated

as a result of overlaying it with teachers' knowledge [5].

Representation of all these kinds of knowledge in an ITS is usually separated from the inference and search engines that are contained in the system. Hence ITSs are knowledge based systems with the following structure,




Figure 2: Typical ITS architecture

- ⇒ □ **The *domain module*** is the repository for storing and structuring information; the domain base includes knowledge that a teacher wants a student to learn;
- ⇒ □ **The *teacher module*** resembles a human tutor; the module selects and sequences instruction and teaching styles and the learning scenario (e.g. guided free play, learning-by-doing, discovery learning, mixed-initiative dialogue);
- ⇒ □ **The *student module*** represents two major kinds of information: a student's personal data and predicted capability for that particular course and her/his current state of domain knowledge;
- ⇒ □ **The *user interface module*** to facilitate the interaction of both teachers and students with the system;

specifically it supports human teachers in domain base development, in specifying what, when and how to teach □6□, and in monitoring the students' progress; obviously it should also provide a user friendly interface for students to learn the subject domain.

6.Components of Intelligent Tutoring Systems

Intelligent tutoring systems may outwardly appear to be monolithic systems, but for the purposes of conceptualization and design, it is often easier to think about them as consisting of several interdependent components.

Previous research by Woolf [7] has identified **four major components**: the student model, the pedagogical module, the domain knowledge module, and the communication module. We have identified a fifth component, the expert model. Woolf includes this component as part of the domain knowledge, but we feel that it is a separate entity. Figure 1 provides a view of the interactions between the modules.




Figure .3 : Interaction of components in an intelligent tutoring system

6.1 :Student Model

The student model stores information that is specific to each individual learner. At a minimum, such a model tracks how well a student is performing on the material being taught. A possible addition to this is to also record misconceptions. Since the purpose of the student model is to provide data for the pedagogical module of the system, all of the information gathered should be able to be used by the tutor.

6.2 :Pedagogical Module

This component provides a model of the teaching process. For example, information about when to review, when to present a new topic, and which topic to present is controlled by the pedagogical module. As mentioned earlier, the student model is used as input to this component, so the pedagogical decisions reflect the differing needs of each student.

6.3 :Domain Knowledge

This component contains information the tutor is teaching, and is the most important since without it, there would be nothing to teach the student. Generally, it requires significant knowledge engineering to represent a domain so that other parts of the tutor can access it.

One related research issue is how to represent knowledge so that it easily scales up to larger domains. Another open question is how to represent domain knowledge other than facts and procedures, such as concepts and mental models.

6.4 :Communications Module

Interactions with the learner, including the dialogue and the screen layouts, are controlled by this component. How should the material be presented to the student in the most effective way? This component has not been researched as much as the others, but there has been some promising work in this area [8].

6.5 :Expert Model

The expert model is similar to the domain knowledge in that it must contain the information being taught to the learner. However, it is more than just a representation of the data; it is a model of how someone skilled in a particular domain represents the knowledge. Most commonly, this takes the form of a runnable expert model, i.e. one that is capable of solving problems in the domain [9]. By using an expert model, the tutor can compare the learner's solution to the expert's solution, pinpointing the places where the learner had difficulties.

7.Types of ITSs

There are several ways of categorizing ITSs; we will concentrate on two dimensions: abstraction of the learning environment and the knowledge type of the instruction.

7-1 : Abstraction of the learning environment

Many systems attempt to provide instruction by simulating a realistic working environment in which the student can learn the task. There are many reasons for developing such systems, including the possible danger of training using the actual equipment and the lack of domain experts who can devote their expensive time to training novices. Therefore, a realistic simulated learning environment can reduce both the cost and the risks of training.

An example of a simulation-based ITS is the Advanced Cardiac Life Support (ACLS) Tutor in which a student takes the role of team leader in providing emergency life support for patients who have had heart attacks. The system not only monitors student actions, but runs a realistic simulation of the patient's condition and maintains an environment that is reasonably faithful to the "real life" situation.

Thus, the goal is not only to test the student's knowledge about the correct emergency procedures, but also to allow him to experience practicing those procedures in a more realistic manner than is possible in a traditional classroom.

Some systems take a less rigorous approach to representing the environment; the situations presented are similar to the real world scenarios in which the knowledge could be applied, but they are not exact simulations. Smithtown [2] takes this approach by providing a simulated setting for students to test hypotheses about economics. However, the underlying model of the environment is not an exact simulation of how the laws of economics would be applied in the real world. Another example of such a system is the Design for Manufacturing Tutor [11].

At the extreme opposite of the simulation based tutors are those that teach knowledge in a decontextualized manner without attempting to simulate the real world. Many systems throughout the history of ITS research fall into this category [12]. These systems provide problems for the learner to solve without trying to connect those problems to a real world situation and are designed to teach abstract knowledge that can be transferred to multiple problem solving situations.

7.2 :Emphasis of Instruction

There is a long history of classifying instructional goals according to the type of knowledge being taught. An important early attempt at this classification is Bloom's taxonomy [13] and much recent work in categorizing knowledge has been derived from this. In addition to classifying learning goals by knowledge type, one can also examine what the student will be able to do upon completion of the ITS's lesson.

This can vary from the student being able to perform a set of skills in a manner similar to an expert to understanding abstract concepts such as Newton's third law. For ease of development, systems tend to concentrate on teaching one type of knowledge. The most common type of ITS teaches procedural skills; the goal is for students to learn how to perform a particular task. There has been substantial research in cognitive psychology about human skill acquisition, so analyzing the domain knowledge in this framework can prove beneficial to instruction. Systems that are designed according to these principles are often called cognitive tutors.

The most common result of this analysis is a set of rules that are part of a run able expert model. This set of expert rules often serves double duty as a knowledge of the domain and as the pedagogical module. If a student encounters difficulty, the specific remediation required can be determined from the expert model [14].

Other ITSs concentrate on teaching concepts and "mental models" to students. These systems encounter two main difficulties. First, a more substantial domain knowledge is needed for instruction. Second, since learning concepts and frameworks is less well understood than learning procedures, there is less cognitive theory to guide knowledge representation and the pedagogical module. For these reasons, ITSs of this type require a larger domain knowledge base and are sometimes referred to as knowledge based tutors. As a result of not having a strong model of skill acquisition or expert performance, these systems are forced to use general teaching strategies. They also place more emphasis on the communication and presentation system in order to achieve learning gains. An example of such a system is the Pedagogical Explanation Generation (PEG) system [15] which has an explanation planning component that uses a substantial domain knowledge base to construct answers to student queries in the domain of electrical circuits.

These classifications are really points along a continuum, and serve as good rules of thumb rather than a definitive method of classifying intelligent tutors. A system that does not fall into either of these categories is Coach [8], which teaches how to use UNIX mail. This is a procedural skill, and hence cognitive in nature. However, the emphasis of this system is also knowledge based and involves generating explanations and using general pedagogical tactics for generating feedback.

Generally, tutors that teach procedural skills use a cognitive task analysis of expert behavior, while tutors that teach concepts and frameworks use a larger knowledge base and place more emphasis on communication to be effective during instruction. There are exceptions to these rules, but they serve as useful guidelines for classifying ITSs.

The Student Model

As noted previously, the student model is the component of an ITS that records information about the student. This information reflects the system's belief of the learner's current knowledge state. Since only overt student actions are visible, and the ITS only has a relatively narrow channel of communication with the user, there is difficulty in obtaining an accurate representation of the student's abilities. Therefore, the model of the student may not be perfectly accurate and steps must be taken to ensure that the system's actions on the basis of this inaccurate information are not inappropriate. For example, a tutor that interferes too much with a learner who is performing satisfactorily can obviously be detrimental.

After considering the above difficulties, an obvious question concerning student models is why to have one. Simply put, the student model is necessary in order to tailor instruction to a student's idiosyncrasies and learning needs. Without this knowledge, the pedagogical component of the tutor has no basis on which to make decisions, and is forced to treat all students similarly. This is analogous to earlier efforts in CBT and CAI which did not customize instruction for individual learners.

Representation of the student model

There are many methods for representing information about the student. Two commonly used techniques are overlay models and Bayesian networks.

The standard paradigm for representing a student model is the overlay model [16] in which the student's knowledge is considered to be a subset of the expert's knowledge (Figure 3a). With this representation, an ITS presents material to the student so that his knowledge will exactly match that of the expert. The knowledge types that can be represented within an overlay student model include 'topics', which correspond to elements of the domain knowledge, and production rules [14].




Figure 4: Structure of student models

A drawback of this approach is that it does not acknowledge that students may have beliefs that are not part of the expert's knowledge base. For example, students frequently have misconceptions about a domain. Therefore an extension to the overlay model explicitly represents "buggy" knowledge that the student may have (Figure 3b) [17]. This extension allows for better remediation of student mistakes, since the fact that a student believes something that is incorrect is pedagogically significant.

Another mechanism for recording a student's knowledge is Bayesian networks [18]. These networks probabilistically reason about a student's knowledge state based on his interactions with the tutor. Each node in the network has a probability indicating the likelihood of the student "knowing" that piece of knowledge.

What to include in the student model

ITS designers have a tendency to include more information in the student model than the pedagogical module can use [19]. However, the point of having a student model is to be able to tailor the instruction for each student. Therefore, student models should only include data that the tutor will actually use in creating this instruction. On the other hand, for research purposes, it can be beneficial to include extra factors that are not used by the pedagogical module but provide ITS designers with knowledge of what may be useful to include in future student models.

Given this restriction, what should a student model contain? Clearly, it must record the student's understanding of the domain. However, at what grain size should that understanding be represented? At one extreme, the tutor could simply say "the student knows this domain" or "the student does not know this domain." At the other extreme, the student model could record every student action. Most student models fall in between these two end points and try to model the student at the same granularity at which the domain is represented.

Since most domains are represented in terms of topics, this is the most common grain size for student models.

In addition to recording a student's understanding of the domain, a student model may also include more general pedagogical information about the student. This kind of information could include a student's general preferences, such as whether he likes to look at examples before attempting to answer any questions or whether he likes examples about ponies but not those about tanks.

Other general information about the student's learning can be included, such as acquisition and retention. Acquisition measures how fast students learn new topics, and retention measures how well they recall the material over time. Prior research suggests that examining general factors such as acquisition and retention can be beneficial for student modeling. Work with the LISP tutor and with Stat Lady [20] indicates that general factors extracted from student learning data are predictive of overall learning and allow for a more accurate response to the idiosyncrasies of the student.

Pedagogical Module

The pedagogical module uses information from the student model to determine what aspects of the domain knowledge should be presented to the learner. This information, for example, may be new material, a review of previous topics, or feedback on the current topic. One pedagogical concern for an ITS is the selection of a meta-strategy for teaching the domain. For example, the system could decide to use the Socratic method [21] or it could select a topic and present an example of a problem within that topic. Once the meta-strategy is selected, low level issues, such as the exact example to use, must be decided. These low level issues have been fairly well researched, and thus will be discussed first.

Low level issues

The tutor must decide the content of the material to be presented to the student. This involves decisions about the topic, the problem, and the feedback.

Topic selection: To select a topic to present, the tutor must examine the student model to determine the topics on which the student needs to focus. Many possibilities exist for the most appropriate topic on which a student should work. For example, if the meta-strategy indicates that review is in order, the tutor will select a topic the student has already "learned." On the other hand, if new information is to be presented, the tutor will choose a topic that the student does not yet know.

Problem generation: Once the topic has been selected, a problem must be generated for the student to solve. The grain size of the problem is determined by the domain. For example, in SHERLOCK, the student will be asked to diagnose the fault in the station used to repair an F-15, while in MFD [22], the student will be given a simple math problem, such as adding two fractions. Whatever the granularity of the problem generated, it is important that the difficulty be appropriate for the student's level of ability, which can be determined from the student model.

Feedback: Most tutors work smoothly as long as students get everything right. Problems arise when the student has difficulties and needs help from the tutor. In these situations, the tutor must determine the kind of feedback to provide.

The issue of how much help to provide the student is also a very complex issue as too little feedback can lead to frustration and floundering while too much feedback can interfere with learning [23].

Once the system decides how much feedback to give, it must determine the content of the advice. The feedback should contain enough information so that the student can proceed to the next step in solving the problem. Furthermore, the advice given to the learner should be appropriate for her ability level. Some systems use the student model to select a hint that most closely matches the learner's level of ability. For example, in MFD, the more proficient the student is at a particular skill, the more subtle the hint is. On the other hand, a student with low proficiency in a skill would be presented with a more obvious hint. By using this technique, learners will not be required to wade through many levels of hints before receiving useful help [24].

Meta-strategy selection

High level strategy selection in ITSs has not received the same amount of attention as the low level decisions. This is not to say that meta-strategies have not been researched. To the contrary, educational research has identified many potential teaching strategies for use by an ITS. Examples of these kinds of strategies include spiral teaching and the Socratic method [25].

However, implementing these meta-strategies in an ITS has proven a formidable problem. Most ITSs do not explicitly identify the strategies they are using for teaching and implicitly implement one of the well-known strategies. A better method is to use the student model to select an appropriate strategy from those maintained by the system. Ideally a student's model could track the instructional strategies that are most effective for teaching him. However, because most systems do not have multiple teaching strategies, student models have not been designed to provide selection information. Thus, representing multiple strategies explicitly and the control knowledge to select among them is beyond the capabilities of most current systems [26].

Another obstacle in representing multiple teaching strategies is the limitations imposed by other components of the ITS in addition to those placed by the student model. In particular, the difficulty of representing knowledge impedes the ability to explicitly represent teaching strategies.

For example, the Socratic method requires substantial "common sense" knowledge beyond what is maintained in a domain knowledge base. This problem of scaling up the knowledge base is not unique to ITSs and is common to many areas of AI.

10. Future Work

In this section, we discuss some of the open questions in intelligent tutoring systems research. In general, many of these questions fall into two categories:

(10.1) reducing the time and cost of development and

(10.2) allowing students to work collaboratively.

10.1 Reducing development time and cost

One of the main difficulties in designing intelligent tutoring systems is the time and cost required. A large team, including computer programmers, domain experts, and educational theorists, is needed to create just one ITS. Estimates of construction time indicate that 100 hours of development translates into 1 hour of instruction [27]. Clearly there is a need for techniques that will help alleviate these difficulties for instructional development.

Authoring tools: The goal of authoring tools is to provide a (relatively) simple development environment and as a result, fewer developers would be needed for the construction of educational software. There are two main approaches to achieving this goal: (1) provide a simple development shell for educators to author their own courseware and (2) provide a means for programmers to more easily represent the domain and teaching strategies. Authoring tools that fall into the first category generally have a restricted scope of the types of instructional interactions a user can create, whereas those in the second category allow for considerably more flexibility at the cost of more complex authoring.

Modularity: Another approach to simplifying ITS construction is to take advantage of the modularity of each system. Despite the natural breakdown of an ITS into the five components discussed previously,

there has been little effort towards reusing components from one system in the development of another. This should not involve developers just reusing their own components, but should also mean sharing components among different designers.

Numerous difficulties impede such modularization. **First**, tutors are written in many different programming languages that are incompatible. **Second**, this component view of ITSs is more of an ideal situation than a reality. Frequently, implementers intertwine the components into one monolithic system. Furthermore, since the field of ITS is relatively young, there are not accepted standards for kinds of components nor for their contents. Finally, there is no protocol for communication between the various parts of an ITS.

Collaborative learning

Collaborative learning refers to students working in groups to solve problems. These environments have been shown to be beneficial, both cognitively and socially [28]. In these situations, the focus of the interactions is not typically between the teacher and the learners, as students can teach each other without input from the instructor. For the purposes of this discussion, we restrict the term collaborative learning to refer to students working together, with the aid of an ITS, via a computer network. Because other students are involved in the learning, the design of the ITS should be easier since the instruction does not have to be perfect -- if a student becomes confused, another student may be able to help without relying on the ITS for assistance.

An important aspect of collaborative environments is that in group situations, not all students will be of the same ability. This creates two problems. The first, the classic problem of credit assignment, affects how student models are updated. Should credit be awarded only to the first person to produce the correct answer or should all members of the group receive equal reward? The second problem concerns the pedagogical decisions of how to advance the group through the curriculum. Should one learner dictate the pace of the entire group? And if so, which one?

Although collaborative learning as we have defined it is in its infancy, there have been some efforts in this direction. For example, Belvedere [29] provides a set of tools to help groups of students construct theories (for example, on evolution), and can then critique these theories.

Conclusion

Intelligent tutoring systems have been shown to be highly effective in increasing student motivation and learning. In designing these systems, it is useful to view them as being composed of five components: the student model, the pedagogical module, the domain knowledge, the communications module, and the expert model. Research has been done on each of these modules, but only a few are very well understood. Specifically, incorporating multiple teaching strategies in the pedagogical module is a large open research question.

In addition to the continuing work on these components, one important research issue is reducing the time and cost to develop such systems. Current strategies for doing this include the development of authoring tools and creating systems in a modular fashion. Solving this problem will be an enormous breakthrough in ITS research, since more systems could be constructed and thus more research into the effectiveness of computer based instruction could be performed.

References

1. Bloom, B.S. (1984) "The 2 Sigma Problem: The Search for Methods of Group Instruction as Effective as One-to-One Tutoring" *Educational Researcher*, 13, pp. 3-16.
2. Shute, V., R. Glaser, and K. Raghaven. (1989). "Inference and Discovery in an Exploratory Laboratory". *Learning and Individual Differences*, Ackerman, P., R. Sterberg, and R. Glaser, eds., pp. 279-326.
3. Russell, D. (1998). IDE: The Interpreter. "*Intelligent Tutoring Systems: Lessons Learned*", Psootka, J., L. Massey, and S. Mutter, eds., Lawrence Erlbaum Associates, Hillsdale, NJ, pp. 323-349.
4. Anderson, J. (1993). "*Rules of the Mind*". New Jersey, Lawrence Erlbaum Associates, pp. 35-56.
5. Anderson, J., Boyle, C., and Yost, G. 1985. The Geometry Tutor. In *Proceedings of the Ninth IJCAI*, Los Angeles, Morgan-Kaufmann, San Mateo, Calif, pp. 60-70.
6. Anderson, J. and Reiser, B. (1985). The LISP Tutor. *Byte*, 10, 4, pp. 159-175.
7. Woolf, B. (1992). "AI in Education. *Encyclopedia of Artificial Intelligence*", Shapiro, S., ed., John Wiley & Sons, Inc., New York, pp. 434-444.
8. Winkels, R., J. Sandberg, and J. Breuker. (1990). "The Coach. In *EUROHELP: Developing Intelligent Help Systems*", Breuker, J., ed., EC: Copenhagen, pp. 119-146.
9. Clancey, W. and Letsinger, R. (1981). "Tutoring Rules for Guiding a Case Method Dialog". In *Proceedings of the Sixth IJCAI*, Vancouver, B.C., Morgan-Kaufmann, San Mateo, California, pp. 829-835.
10. Eliot, C. and Woolf, B. (1995). "An Adaptive Student Centered Curriculum for an Intelligent Training System". *User Modeling and User-Adapted Interaction*, 5, 1, pp. 67-86.
11. Haugsjaa, E. and Woolf, B. 1996. "3D Visualization Tools in a Design for Manufacturing Tutor". In *Proceedings of Educational Multimedia and Hypermedia*, Boston, Mass, pp. 34-69.
12. Shute, V. (1995). Smart: Student Modeling Approach for Responsive Tutoring. *User Modeling and User-Adapted Interaction*, 5, 1, pp. 1-44.
13. Bloom, B. (ed.) (1996). "*Taxonomy of Educational Objectives*". New York, NY, Mackay Publishing, 123-150.
14. Lajoie, S. and A. Lesgold. (1992). "Apprenticeship Training in the Workplace: Computer-Coached Practice Environment as a New Form of Apprenticeship". In *Intelligent Instruction by Computer*, Farr and Psootka, eds., Taylor & Francis, Washington, DC, pp. 15-36.
15. Suthers, D. (1992). "Answering Student Queries: Functionality and Mechanisms". In *Proceedings of the 2nd International Conference on ITS (ITS-92)*, Montreal, June, pp. 78-120.
16. Kearsley, G. Learning and Instruction: The TIP Database, <http://qwis2.circ.gwu.edu/~kearsley/>.

- 17.**Lajoie, S.P. (1993). "Computer Environments as Cognitive Tools for Enhancing Learning" *Computers as Cognitive Tools*, Lajoie, S. and Derry, S., eds., Lawrence Erlbaum Associates, NJ, pp. 261-288.
- 18.**Major, N. (1995). "Redeem: Creating Reusable Intelligent Courseware". In *Proceedings of the International Conference on Artificial Intelligence in Education.*, Greer, J., ed., AACE, Charlottesville, VA, pp. 75-82.
- 19.**Self, J. (1990). "Bypassing the Intractable Problem of Student Modeling". In *Intelligent Tutoring Systems: at the Crossroads of Artificial Intelligence and Education*, C. Frasson and G. Gauthier, eds., Ablex Publishing Company, Norwood, NJ, pp.98-111.
- 20.**Murray, T. and B. Woolf. (1992). "Results of Encoding Knowledge with Tutor Construction Tools". In *Proceedings of the Tenth National Conference on Artificial Intelligence*, San Jose, CA, July, pp. 17-23.
- 21.**Kashihara, A., A. Sugano, K. Matsumura, T. Hirashima, and J. Toyoda. (1994). "A Cognitive Load Application Approach to Tutoring". In *Proceedings of the Fourth International Conference on User Modeling*, pp. 163-168.
- 22.**Stern, M., J. Beck, and B. Woolf. (1996). "Adaptation of Presentation and Feedback in an Intelligent Mathematics Tutor". In *Proceedings of the Third International Conference on Intelligent Tutoring Systems*, Montreal, pp.123-144.
- 23.**Holt, P., Dubs, S., Jones, M., and Greer, J. (1993). "The State of Student Modelling. In *Student Modelling*": *The Key to Individualized Knowledge-Based Instruction*, Greer, J. and McCalla, G., eds., Springer-Verlag, New York, pp.45-70.
- 24.**Lajoie, S. and A. Lesgold. (1992). "Apprenticeship Training in the Workplace: Computer-Coached Practice Environment as a New Form of Apprenticeship". In *Intelligent Instruction by Computer*, Farr and Psothka, eds., Taylor & Francis, Washington, DC, pp. 15-36.
- 25.**Bruner, J. (1992). "Science Education and Teachers": A Karplus Lecture. *Journal of Science Education and Technology*, 1, 1, March, pp. 5-12.
- 26.**Murray, T. (1996). "Having It All, Maybe: Design Tradeoffs in ITS Authoring Tools". In *Proceedings of the Third International Conference on Intelligent Tutoring Systems*, Montreal.
- 27.**Murray, T. and B. Woolf. (1992). "Results of Encoding Knowledge with Tutor Construction Tools". In *Proceedings of the Tenth National Conference on Artificial Intelligence*, San Jose, CA, July, pp. 17-23.
- 28.**Webb, N. (1982). "Student Interaction and Learning in Small Group". *Review of Educational Research*, 52, pp. 421-445.
- 29.**Suthers, D., A. Weiner, J. Connelly, and M. Paolucci. (1995). "Belvedere: Engaging Students in Critical Discussion of Science and Public Policy Issues". In *Proceedings of Artificial Intelligence in Education*, Greer, J., ed., AACE, Charlottesville, VA, pp. 266-273.

استخدام تطبيقات الذكاء الاصطناعي لتطوير عملية التعليم والتعلم

د. عبد الستار جبار القيسي

الكلية التقنية الادارية

المستخلص :

إن تطور استخدام الحاسبات وثورة تكنولوجيا المعلومات في مجال استخدام برامج وطرق الذكاء الاصطناعي والنظم الخبيرة في البحوث والدراسات العلمية لمختلف العلوم ، ساعد في زيادة المعارف والمهارات العلمية في عملية التدريب والتعليم العلمية التربوية والتعليمية ، وقد تم تطبيق عدة مفاهيم نظرية وتطبيقية في مجال تطبيق برامج الذكاء الاصطناعي والنظم الخبيرة في الحاسوب ، حيث إن الذكاء الاصطناعي ونظمه الخبيرة تعتبر طرق علمية وعملية تجعل الحاسبات تقوم بتمثيل النشاطات الإنسانية في إدارة وتنظيم مختلف النشاطات العلمية والعملية التي يقوم بها الإنسان ، والتي تتطلب مهارات وخبرات خاصة لاتخاذ القرارات الذكية وعمل هندسة برمجيات الحاسوب، للمساعدة في عملية التعليم والتعلم ، وتنفيذ العمليات والبرمجيات المختلفة والتي تتطلب مستويات عالية من الذكاء ... والذكاء الاصطناعي يقوم بتطبيق العديد من المجالات العلمية والعملية ، منها على سبيل المثال : نظرية الألعاب ، تحسين النظريات وتطويرها، والحل العام والمتكامل للمسائل العلمية بشكل ذكي ، مثل :

- ✓ الرموز والمعادلات الرياضية
- ✓ التشخيصات الطبية
- ✓ التحليل الكيماوي
- ✓ التصميم الهندسي

والبحث في النهاية يركز على التعريف بتطبيق طرق الذكاء الاصطناعي ونظم التعلم الخبيرة في تمثيل المعارف لدعم ومساعدة عملية التعليم والتعلم والتربية.